



BONDIT PLUG 10S

Nexgen Construction Supplements

WWW.BONDIT.IN



BONDIT PLUG 10S

RAPID SETTING MULTIPURPOSE CEMENTITIOUS COMPOUND

DESCRIPTION

BONDIT PLUG 10S is specially formulated cementitious compound which sets rapidly. BONDIT PLUG 10S can be very effectively used in situations where setting time of compound should be less.

ADVANTAGES / BENEFITS

BONDIT PLUG 10S helps the cementitious compound set very rapidly thereby stop leakages. BONDIT PLUG 10S can be applied easily as only a particular amount of water has to be added and mixed according to this application.

1 part of BONDIT PLUG 10S can be mixed with 3 parts of fine sand and used for larger applications and hence it is economical.

BONDIT PLUG 10S is free from chloride and hence does not affect RCC

AREAS OF APPLICATION

For stopping leakages in tunnels, cellars, pits, sewerage systems, pipes etc., For plugging works, quick repairs of concrete, screeds, plasters, brick work etc., For areas where quick setting is required.

DIRECTIONS FOR USAGE

The surface where BONDIT PLUG 10S has to be applied should be free from all dust, grease and oil.

For repairing work, the areas to be patched have to be cut back up to 15mm and given good mechanical key, do not feather edge for removing light oil or grease contaminations.

To plug leaks, crack openings are to be cut open to 20mm square in shape, remove all loose material and debris. All surfaces to be dampened with water prior to application of BONDIT PLUG 10S

MIXING

BONDIT PLUG 10S has to be used after mixing with gauging water depending upon its application, normally BONDIT PLUG 10S is mixed with 2 to 2.5 parts of water.

PRECAUTIONS

BONDIT PLUG 10S is non-toxic. Splashes if any should be washed with plenty of water. When it comes in contact with eyes take medical advice.

SUPPLY

BONDIT PLUG 10S is supplied in 1 and 5 KG packs.

SHELF LIFE

ONE YEAR

TECHNICAL SUPPORT


Technical information and guidance regarding BONDIT range of admixtures , repairs and bonding , water proofing systems , epoxy industrial flooring systems etc, will be available from the technical services department , BONDIT CONSTRUCTION CHEMICALS PVT LTD.

IMPORTANT NOTE

BONDIT products undergo high standard quality checks and every reasonable precaution is taken in the manufacture of all products. BONDIT continuously strive to ensure the products, recommendations, specifications & information given is reliable, correct and accurate. No specific guarantee can be assured as product performance depends not only on quality but also on many other factors which are not under our control. The customer should make his own trials to determine the compatibility of the product for his own purpose. All products are sold subject to our standard terms and conditions of sale.

BONDIT CONSTRUCTION CHEMICAL PVT LTD.

Office No. 3&4, Sai Prithvi Arcade, 1st Floor, Above Bata Showroom
Main Road, Madhapur, Hyderabad, Telangana

 Customer : 07997 109 109

 service@bondit.in